

Big Earth Science Data Frameworks and Services within NASA's Physical Oceanography DAAC

Presented by David Moroni¹ (David.F.Moroni@jpl.nasa.gov)

Co-Authors: Suresh Vannan¹, Mike Gangl¹, Ed Armstrong¹, Michelle Gierach¹,

Catalina Oaida², Jessica Hausman¹

Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA

²Raytheon, Pasadena, CA

Presented at ESA LPS 2019

Outline

- 1. The Role of PO.DAAC
 - Overview of Data Holdings
- 2. Mission-driven "Big Data" Challenges
- 3. Legacy Solutions
- 4. Moving to Cloud:
 - a. User-driven Paradigms
 - b. Analysis Ready, Interoperable Data
 - c. On-demand Analytics
- 5. Open-source Software/Tools/Services
- 6. Common Cross-DAAC Interfaces
- 7. Summary



Role of the Physical Oceanography Distributed Active Archive

ORNL DAAC

Center (PO.DAAC) https://podaac.jpl.nasa.gov/

PO.DAAC Global Data/Services Usage Heatmap

Process

Archive

Distribute

Missions & Projects

DAACs ingest, archive, process and distribute data to users

Seasat, TOPEX/Poseidon, Jason-1, NSCAT, SeaWinds on ADEOS-II, CYGNSS, GRACE-FO (2018), QuikSCAT, GRACE, GHRSST, MEaSUREs, Aquarius, SPURS, ISS-RapidScat, AirSWOT, OMG, Jason-CS/Sentinel-6 (2020), SWOT (2021)

Parameters

Geodetics/Gravity (85)
Hydrology (11)
Ocean Circulation & Currents (8)
Ocean Surface Salinity (156)
Ocean Surface Topography (6)
Ocean Vector Winds (104)
Sea Surface Temperature (224)
Sea Ice (37)

Tools



Mission-Driven "Big Data" Challenges


- Lower-cost, more scalable instrument/platform technologies allows for increasingly complex Earth observing missions and data types.
- Tackling the 4 Big V's: <u>V</u>olume, <u>V</u>elocity, <u>V</u>eracity, and <u>V</u>ariety.
- Volume and Velocity: The Surface Water Ocean Topography (SWOT) Mission, launching Sept. 2021, by itself will deliver a nominal 50 TB/day, with data spikes as high as 100 TB/day.
- Veracity: checksums to validate data file integrity; automated workflows to validate anticipated latency; metadata validation for completeness and interoperability standards compliance.
- Variety: many key oceanographic parameters have over 100 unique datasets; Becomes increasingly complex as we branch in to airborne and in situ field campaigns.





Legacy Solutions (https://podaac.jpl.nasa.gov/dataaccess)


- HTTPS/Web-Dav "Drive" (FTP Replacement)
- OPeNDAP Subsetting/Transformation
- THREDDS/LAS -
 - Aggregation/Visualization/Analysis/Reduction/Transformation
- State of the Oceans (SOTO) Multi-layered Visualization/Animation
- Web Services RESTful API Metadata/Data Query/Reduce/Visualize/Extract
- HiTIDE Level 2 (i.e., discrete swath geometry) data reduction.














Moving to the Cloud - User-driven Paradigms

- Driven primarily by the Surface Water & Ocean Topography (SWOT) mission.
 - Cloud design architecture incorporates technical interchange with Alaska Satellite Facility (ASF)
 and ESDIS on the NASA-ISRO Synthetic Aperture Radar (NISAR) Mission.
- SWOT (launch Sep. 2021) will be producing multi-sensor data vital supporting cross-domain science: oceans, surface hydrology, coastal, cryosphere.
- Provides joint collaboration between NASA & CNES, with contributions from UKSA, CSA.
- Analysis-ready formats include: netCDF-4 and GIS/Shapefile
- Extensive user needs assessment and early-adopter program as basis for planning & development.
 - User Needs Assessment, Application Journeys, Use Cases (traceability matrix)
 - Provides input for planning Roadmap and Cloud Services
 - 3 user communities (Hydrology, Oceans, Coastal)





oodaac

Moving to the Cloud - Analysis Ready and Interoperable

- NASA's Earth Science Data Systems Working Group for Analysis Ready Data (ARD)
 emphasizes data in a format that is interoperable with "open" assessments and
 accessibility of data quality (e.g., uncertainty, spatial/temporal characteristics).
- Also makes use of "Analysis-Ready" information as an adjuvant to the physical data.
- CEOS ARD statement: "[ARD is] organized into a form that allows immediate analysis with a minimum of additional user effort and interoperability both through time and with other datasets". http://ceos.org/ard/
- PO.DAAC's best practices supporting ARD via Interoperability: https://podaac.jpl.nasa.gov/PO.DAAC DataManagementPractices
- Interoperability Compliance Validation/Transformation (Leveraging CF, ISO and ACDD): https://podaac-tools.jpl.nasa.gov/mcc/ (Metadata Compliance Checker)
 https://www.unidata.ucar.edu/software/rosetta/ (Format and Metadata Transformation)
- ARD can also empower remote-access capable Tools/Services, e.g., Panoply, Integrated Data Viewer, THREDDS: https://www.unidata.ucar.edu/software/idv/
 https://www.unidata.ucar.edu/software/thredds/current/tds/


Moving to the Cloud - On-demand Analytics


Leveraging NEXUS, open-source technology developed by JPL:

- On-demand Data Discovery, Fusion, Reduction, Visualization, Analytics, Re-packaging.
- Cloud-optimized, horizontal scalability.
- Tiled data storage minimizes I/O bottlenecks.
- Time series, Lat/Lon X Time Hovemoller, Lat/Lon Time Averaging, Correlation Maps.


Thomas Huang et al., 2018

Many more analytics features...






Jupyter Notebook - Interactive Workbench




Oceanographic Anomaly Detection




PO.DAAC State Of The Ocean



Hydrological Basin Analysis



Open-source Software/Tools/Services




- Data Recipes https://podaac.jpl.nasa.gov/recipes
 - Reading/Translation (5), Access/Services (29), Visualization (13),
 Numerical Analysis (6), Tutorials (3)
- PO.DAAC-PY Python Library Toolkit for PO.DAAC Web Services
 - Updated as of November 2018 https://github.com/nasa/podaacpy
- NEXUS On-Demand Visualization, Data Discovery, Re-packaging and Analytics
 - https://github.com/dataplumber/nexus/
- PO.DAAC GitHub Coming Soon!

Common Cross-DAAC Interfaces

- NASA Earthdata Code Collaborative (code-sharing for common services).
- NASA's EOSDIS Earthdata Search Client portal
 (https://search.earthdata.nasa.gov) is already available for all public facing datasets, and will also soon be made available to find and aggregate data from future Big-Data missions across DAACs such as *SWOT* and *NISAR*.
- GIBS/Worldview (https://worldview.earthdata.nasa.gov/): provides multi-layered visualization (over 800 data layers) for all types of satellite-based remote sensing data (historical and current) across all DAACs.







Summary

- 4 V's of Big Data are imposing their will with increasing urgency.
- PO.DAAC has made a critical shift from being reactionary to proactive in anticipating the demands Big Data prior to inundation.
- SWOT is our biggest motivator for moving to cloud data infrastructure.
- NEXUS will continue to increase in maturity and cloud-optimized capabilities in support of a paradigm shift in data usage demand and user needs for more on-demand dataintensive services.
- Open-source solutions will continue growing and evolving, specifically targeting ARD, multi-variate analyses, transformation/re-packaging/reduction.
- PO.DAAC GitHub server is forthcoming, and will be our backbone in our push toward open-source licensing of data-centric technologies and services.
- Cross-DAAC interfaces are key to staying ahead in solution space.
- As we prepare for the cloud, surveying our legacy data holdings for ARD.



Thank you!



